

# Steele County Community Health Profile


## POPULATION

The Demographic Section of this report comes from the US Census Bureau ([www.census.gov](http://www.census.gov)). Most tables are derived either from the full (100%) census taken in 2010 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also. Tables present number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group which is in poverty (e.g., percentage of children under five years in poverty).

1

2

| Population by Age Group, 2010 Census |               |         |              |         |
|--------------------------------------|---------------|---------|--------------|---------|
| Age Group                            | Steele County |         | North Dakota |         |
|                                      | Number        | Percent | Number       | Percent |
| 0-9                                  | 195           | 9.9%    | 84,671       | 12.6%   |
| 10-19                                | 255           | 12.9%   | 87,264       | 13.0%   |
| 20-29                                | 157           | 7.9%    | 108,552      | 16.1%   |
| 30-39                                | 176           | 8.9%    | 77,954       | 11.6%   |
| 40-49                                | 296           | 15.0%   | 84,577       | 12.6%   |
| 50-59                                | 322           | 16.3%   | 96,223       | 14.3%   |
| 60-69                                | 246           | 12.5%   | 61,901       | 9.2%    |
| 70-79                                | 209           | 10.6%   | 39,213       | 5.8%    |
| 80+                                  | 119           | 6.0%    | 32,236       | 4.8%    |
| Total                                | 1,975         | 100.0%  | 672,591      | 100.0%  |
| 0-17                                 | 421           | 21.3%   | 149,871      | 22.3%   |
| 65+                                  | 441           | 22.3%   | 97,477       | 14.5%   |



3

| Female Population and Percentage Female by Age, 2010 Census |               |         |              |         |
|---|---------------|---------|--------------|---------|
| Age Group   | Steele County |         | North Dakota |         |
|   | Number        | Percent | Number       | Percent |
| 0-9   | 104           | 53.3%   | 41,330       | 48.8%   |
| 10-19   | 137           | 53.7%   | 42,277       | 48.4%   |
| 20-29   | 69            | 43.9%   | 50,571       | 46.6%   |
| 30-39   | 83            | 47.2%   | 37,144       | 47.6%   |
| 40-49   | 141           | 47.6%   | 41,499       | 49.1%   |
| 50-59   | 145           | 45.0%   | 47,283       | 49.1%   |
| 60-69   | 108           | 43.9%   | 30,699       | 49.6%   |
| 70-79   | 114           | 54.5%   | 21,453       | 54.7%   |
| 80+   | 65            | 54.6%   | 20,471       | 63.5%   |
| Total   | 966           | 48.9%   | 332,727      | 49.5%   |
| 0-17  | 223           | 53.0%   | 73,083       | 48.8%   |
| 65+   | 234           | 53.1%   | 55,050       | 56.5%   |

4

| Decennial Population Change, 1990 to 2000, 2000 to 2010 |               |                    |              |                    |
|---|---------------|--------------------|--------------|--------------------|
| Census  | Steele County | 10 Year Change (%) | North Dakota | 10 Year Change (%) |
| 1990  | 2,420         |                    | 638,800      |                    |
| 2000  | 2,258         | -6.7%              | 642,200      | 0.5%               |
| 2010  | 1,975         | -12.5%             | 672,591      | 4.7%               |

# Steele County Community Health Profile

## POPULATION

5

| Race, 2010 Census |               |            |              |            |
|-------------------|---------------|------------|--------------|------------|
| Race              | Steele County |            | North Dakota |            |
|                   | Number        | Percentage | Number       | Percentage |
| Total             | 1,975         | 100.0%     | 672,591      | 100.0%     |
| White             | 1,927         | 97.6%      | 605,449      | 90.0%      |
| Black             | 3             | 0.2%       | 7,960        | 1.2%       |
| Am. Indian        | 23            | 1.2%       | 36,591       | 5.4%       |
| Asian             | 2             | 0.1%       | 6,909        | 1.0%       |
| Pac. Islander     | 0             | 0.0%       | 320          | 0.0%       |
| Other             | 8             | 0.4%       | 3,509        | 0.5%       |
| Multirace         | 12            | 0.6%       | 11,853       | 1.8%       |

6

| Household Populations, 2010     |               |            |              |            |  |  |
|---------------------------------|---------------|------------|--------------|------------|--|--|
| Household Type                  | Steele County |            | North Dakota |            |  |  |
|                                 | Number        | Percentage | Number       | Percentage |  |  |
| Total                           | 1,977         | 100.0%     | 659,858      | 100.0%     |  |  |
| In households                   | 1,977         | 100.0%     | 634,679      | 96.2%      |  |  |
| In family households:           | 1,703         | 86.1%      | 504,148      | 76.4%      |  |  |
| In nonfamily households:        | 274           | 13.9%      | 130,531      | 19.8%      |  |  |
| In group quarters               | 0             | 0.0%       | 25,179       | 3.8%       |  |  |
| Institutionalized population    | 0             | 0.0%       | 9,675        | 1.5%       |  |  |
| Noninstitutionalized population | 0             | 0.0%       | 15,504       | 2.3%       |  |  |

7

| Marital Status of Persons Age 15 and Older, 2006-2010 ACS |               |         |              |         |
|---|---------------|---------|--------------|---------|
| Marital Status  | Steele County |         | North Dakota |         |
|   | Number        | Percent | Number       | Percent |
| Total Age 15+   | 1,616         | 100.0%  | 538,799      | 100.0%  |
| Never Married   | 323           | 20.0%   | 163,256      | 30.3%   |
| Now Married   | 1,025         | 63.4%   | 288,257      | 53.5%   |
| Separated   | 10            | 0.6%    | 4,310        | 0.8%    |
| Widowed   | 131           | 8.1%    | 36,100       | 6.7%    |
| Divorced  | 128           | 7.9%    | 46,876       | 8.7%    |

8

| Educational Attainment, 2006-2010, ACS |               |         |              |         |
|--|---------------|---------|--------------|---------|
|  | Steele County |         | North Dakota |         |
|  | Estimate      | Percent | Estimate     | Percent |
| Population 25 years and over           | 1,394         | 100.0%  | 429,333      | 100.0%  |
| Less than 9th grade                    | 91            | 6.5%    | 24,043       | 5.6%    |
| 9th to 12th grade, no diploma          | 67            | 4.8%    | 21,467       | 5.0%    |
| High school graduate or GED            | 431           | 30.9%   | 120,643      | 28.1%   |
| Some college, no degree                | 390           | 28.0%   | 99,176       | 23.1%   |
| Associate's degree                     | 158           | 11.3%   | 51,091       | 11.9%   |
| Bachelor's degree                      | 206           | 14.8%   | 83,291       | 19.4%   |
| Grad degree or prof degree             | 49            | 3.5%    | 29,624       | 6.9%    |

# Steele County Community Health Profile

## POPULATION

9

| Income and Poverty Status by Age Group, 2006-2010, ACS |               |         |              |         |
|--|---------------|---------|--------------|---------|
|  | Steele County |         | North Dakota |         |
| Median Household Income                                | \$44,191      |         | \$46,781     |         |
| Per Capita Income                                      | \$27,728      |         | \$25,803     |         |
|  | Number        | Percent | Number       | Percent |
| Below Poverty Level                                    | 83            | 4.2%    | 78,405       | 12.3%   |
| Under 5 years  | 8             | 7.9%    | 4,120        | 9.2%    |
| 5 to 11 years  | 15            | 10.7%   | 7,908        | 14.2%   |
| 12 to 17 years   | 9             | 5.0%    | 5,457        | 11.0%   |
| 18 to 64 years   | 29            | 2.6%    | 46,471       | 12.0%   |
| 65 to 74 years   | 2             | 0.9%    | 4,149        | 8.9%    |
| 75 years and over                                      | 20            | 8.9%    | 7,072        | 14.0%   |
| Total Known Children in Poverty (0-17)                 | 32            | 7.6%    | 17,485       | 11.7%   |
| Total Known Age 65+ in Poverty                         | 22            | 5.0%    | 11,221       | 11.5%   |

10

| Family Poverty and Childhood and Elderly Poverty, 2006-2010, ACS |               |         |              |         |
|--|---------------|---------|--------------|---------|
|  | Steele County |         | North Dakota |         |
|  | Number        | Percent | Number       | Percent |
| Total Families   | 578           | 100.0%  | 170,477      | 100.0%  |
| Families in Poverty  | 25            | 4.3%    | 12,274       | 7.2%    |
| Families with Related Children                                   | 204           | 35.3%   | 78,224       | 45.9%   |
| Families with Related Children in Poverty                        | 14            | 2.4%    | 10,679       | 6.3%    |
| Families with Related Children and Female Parent Only            | 64            | 11.1%   | 15,482       | 9.1%    |
| Families with Related Children and Female Parent Only in Poverty | 14            | 2.4%    | 6,022        | 3.5%    |

# Steele County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

Vital Statistics Data comes from the birth and death records collected by the State of North Dakota aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. The number of events is blocked if fewer than six.

Formulas for calculating rates and ratios are as follows:

**Birth Rate** = Resident live births divided by the total resident population x 1000.

**Pregnancies** = Live births + Fetal deaths + Induced termination of pregnancy.

**Pregnancy Rate** = Total pregnancies divided by the total resident population x 1000.

**Fertility Rate** = Resident live births divided by female population (age 15-44) x 1000.

**Teenage Birth Rate** = Teenage births (age <20) divided by female teen population x 1000.

**Teenage Pregnancy Rate** = Teenage pregnancies (age <20) divided by female teen population x 1000.

**Out of Wedlock Live Birth Ratio** = Resident OOW live births divided by total resident live births x 1000.

**Out of Wedlock Pregnancy Ratio** = Resident OOW pregnancies divided by total pregnancies x 1000.

**Low Weight Ratio** = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

**Infant Death Ratio** = Number of infant deaths divided by the total resident live births x 1000.

**Childhood & Adolescent Deaths** = Deaths to individuals 1 - 19 years of age.

**Childhood and Adolescent Death Rate** = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

**Crude Death Rate** = Death events divided by population x 100,000.

**Age-Adjusted Death Rate** = Death events with age specific adjustments x 100,000 population.

11

| Births, 2006-2010          |               |       |              |       |
|----------------------------|---------------|-------|--------------|-------|
|                            | Steele County |       | North Dakota |       |
|                            | Number        | Rate  | Number       | Rate  |
| Live Births                | 89            | 9     | 44,427       | 13    |
| Pregnancies                | 92            | 9     | 48,818       | 15    |
| Fertility Ratio            |               | 70    |              | 71    |
| Teen Births                | 0             | 0     | 3,337        | 19    |
| Teen Pregnancies           | 0             | 0     | 4,062        | 23    |
|                            | Number        | Ratio | Number       | Ratio |
| Out of Wedlock Births      | 7             | 79    | 14,506       | 327   |
| Out of Wedlock Pregnancies | 14            | 152   | 18,103       | 371   |
| Low Birth Weight Births    | 0             | 0     | 2,919        | 66    |

12

| Deaths, 2006-2010           |               |       |              |       |
|-----------------------------|---------------|-------|--------------|-------|
|                             | Steele County |       | North Dakota |       |
|                             | Number        | Ratio | Number       | Ratio |
| Infant Deaths               | 0             | 0     | 281          | 6     |
|                             | Number        | Rate  | Number       | Rate  |
| Child and Adolescent Deaths | <6            | NR    | 285          | 35    |
| Total Deaths                | 76            | 770   | 28,984       | 862   |

# Steele County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

13

| Deaths and Age Adjusted Death Rate by Cause, 2006-2010 |                    |                    |
|--|--------------------|--------------------|
|  | Steele County      | North Dakota       |
|  | Number (Adj. Rate) | Number (Adj. Rate) |
| All Causes   | 76 (478)           | 28,985 (689)       |
| Heart Disease  | 22 (122)           | 7,122 (162)        |
| Cancer   | 20 (122)           | 6,544 (162)        |
| Stroke   | 6 (31)             | 1,696 (38)         |
| Alzheimers Disease                                     | 0                  | 1,936 (40)         |
| COPD   | <6                 | 1,607 (39)         |
| Unintentional Injury                                   | <6                 | 1,545 (42)         |
| Diabetes Mellitus                                      | <6                 | 1,072 (26)         |
| Pneumonia and Influenza                                | <6                 | 702 (15)           |
| Cirrhosis  | <6                 | 289 (8)            |
| Suicide  | <6                 | 462 (14)           |

# Steele County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

14

| Leading Causes of Death by Age, Steele County, 2006-2010 |                      |        |                      |  |  |
|--|----------------------|--------|----------------------|--|--|
| Age  | 1                    | 2      | 3                    |  |  |
| 0-4  |                      |        |                      |  |  |
| 5-14   | Cancer               |        |                      |  |  |
| 15-24  | Unintentional Injury |        |                      |  |  |
| 25-34  | Unintentional Injury |        |                      |  |  |
| 35-44  | Suicide              |        |                      |  |  |
| 45-54  | Heart                | Cancer |                      |  |  |
| 55-64  | Cancer               | Heart  | Unintentional Injury |  |  |
| 65-74  | Cancer               | Heart  | Diabetes             |  |  |
| 75-84  | Cancer               | COPD   | Stroke               |  |  |
|  |                      | Heart  | Unintentional Injury |  |  |
| 85+  | Heart<br>13          | Stroke | Cancer               |  |  |

15

| Leading Causes of Death by Age Group for North Dakota, 2006-2010 |                             |                        |                             |  |  |
|--|-----------------------------|------------------------|-----------------------------|--|--|
| Age  | 1                           | 2                      | 3                           |  |  |
| 0-4  | Congenital Anomaly<br>69    | Prematurity<br>44      | SIDS<br>40                  |  |  |
| 5-14   | Unintentional Injury<br>26  | Cancer<br>10           | Congenital Anomaly<br>6     |  |  |
| 15-24  | Unintentional Injury<br>184 | Suicide<br>109         | Cancer<br>20                |  |  |
| 25-34  | Unintentional Injury<br>166 | Suicide<br>91          | Heart<br>32                 |  |  |
| 35-44  | Unintentional Injury<br>173 | Heart<br>94            | Cancer<br>88                |  |  |
| 45-54  | Cancer<br>493               | Heart<br>335           | Unintentional Injury<br>194 |  |  |
| 55-64  | Cancer<br>1001              | Heart<br>579           | Unintentional Injury<br>137 |  |  |
| 65-74  | Cancer<br>1562              | Heart<br>843           | COPD<br>313                 |  |  |
| 75-84  | Cancer<br>1992              | Heart<br>1797          | COPD<br>626                 |  |  |
| 85+  | Heart<br>3421               | Alzheimer's Dz<br>1391 | Cancer<br>1352              |  |  |

# Steele County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS, 2001-2010

Adult Behavioral Risk Factor data are derived from aggregated data (the number of years specified is in the table) continuously collected by telephone survey from persons 18 years and older. All data is self-reported data. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalences in the two populations.



|                                      | ALCOHOL  | Steele County %     | North Dakota %      |
|--------------------------------------|--|---------------------|---------------------|
| Binge Drinking                       | Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.                          | 24.0<br>(14.8-33.2) | 21.1<br>(20.5-21.6) |
| Heavy Drinking                       | Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days      | 3.3<br>( 0.2- 6.5)  | 5.0<br>( 4.7- 5.3)  |
| Drunk Driving                        | Respondents who reported driving when they had too much to drink one or more times during the past 30 days                                     | 4.1<br>( 0.0- 8.4)  | 5.7<br>( 5.1- 6.2)  |
|                                      | ARTHRITIS  |                     |                     |
| Chronic Joint Symptoms               | Respondents who reported pain, aching of stiff in a joint during the past 30 days which started more than 3 months ago                         | NA                  | 35.3<br>(34.4-36.2) |
| Activity Limitation Due to Arthritis | Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.   | 12.7<br>( 4.8-20.6) | 13.0<br>(12.4-13.5) |
| Doctor Diagnosed Arthritis           | Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.                    | NA                  | 27.2<br>(26.5-27.9) |
|                                      | ASTHMA   |                     |                     |
| Ever Asthma                          | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.                           | 6.7<br>( 1.8-11.6)  | 10.7<br>(10.3-11.1) |
| Current Asthma                       | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. | 3.8<br>( 0.3- 7.3)  | 7.5<br>( 7.2- 7.9)  |

# Steele County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS, 2001-2010

|                                     | BODY WEIGHT   | Steele County %     | North Dakota %      |
|-------------------------------------|---|---------------------|---------------------|
| Overweight But Not Obese            | Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)  | 39.0<br>(30.0-48.0) | 38.7<br>(38.0-39.3) |
| Obese                               | Respondents with a body mass index greater than or equal to 30 (obese)  | 33.8<br>(24.1-43.5) | 25.4<br>(24.9-26.0) |
| Overweight or Obese                 | Respondents with a body mass index greater than or equal to 25 (overweight or obese)  | 72.8<br>(64.7-80.9) | 64.1<br>(63.5-64.8) |
|                                     | CARDIOVASCULAR  |                     |                     |
| Heart Attack                        | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.                                       | 4.6<br>( 0.6- 8.7)  | 4.0<br>( 3.8- 4.2)  |
| Angina                              | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.   | 8.9<br>( 3.4-14.4)  | 4.0<br>( 3.8- 4.3)  |
| Stroke                              | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.   | 2.6<br>( 0.0- 5.2)  | 2.2<br>( 2.1- 2.4)  |
| Cardiovascular Disease              | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke. | 12.6<br>( 6.4-18.9) | 7.4<br>( 7.1- 7.7)  |
|                                     | CHOLESTEROL   |                     |                     |
| Never Cholesterol Test              | Respondents who reported never having a cholesterol test  | NA                  | 23.0<br>(22.2-23.8) |
| No Cholesterol Test in Past 5 Years | Respondents who reported never having a cholesterol test in the past five years   | NA                  | 28.2<br>(27.4-29.0) |
| High Cholesterol                    | Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.                                   | NA                  | 34.0<br>(33.2-34.8) |
|                                     | COLORECTAL CANCER   |                     |                     |
| Fecal Occult Blood                  | Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.   | NA                  | 78.3<br>(77.5-79.2) |
| Never Sigmoidoscopy                 | Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy   | NA                  | 42.6<br>(41.4-43.7) |
| No Sigmoidoscopy in Past 5 Years    | Respondents age 50 and older who reported not having a sigmoidoscopy or colonoscopy in the past five years.   | NA                  | 55.0<br>(54.0-56.1) |
|                                     | DIABETES  |                     |                     |
| Diabetes Diagnosis                  | Respondents who reported ever having been told by a doctor that they had diabetes.  | 5.9<br>( 1.9- 9.8)  | 6.9<br>( 6.6- 7.2)  |
|                                     | FRUITS AND VEGETABLES   |                     |                     |
| Five Fruits and Vegetables          | Respondents who reported that they do not usually eat 5 fruits and vegetables per day   | NA                  | 78.4<br>(77.7-79.1) |



# Steele County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS, 2001-2010

|  | GENERAL HEALTH   | Steele County %     | North Dakota %      |
|--|--|---------------------|---------------------|
| Fair or Poor Health                    | Respondents who reported that their general health was fair or poor  | 13.3<br>( 7.5-19.0) | 12.6<br>(12.2-12.9) |
| Poor physical Health                   | Respondents who reported they had 8 or more days in the last 30 when their physical health was not good  | 12.8<br>( 6.3-19.4) | 10.2<br>( 9.8-10.5) |
| Poor Mental Health                     | Respondents who reported they had 8 or more days in the last 30 when their mental health was not good  | 9.4<br>( 4.4-14.4)  | 9.6<br>( 9.2-10.0)  |
| Activity Limitation Due to Poor Health | Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities. | 3.4<br>( 0.6- 6.3)  | 5.7<br>( 5.4- 6.0)  |
| Any Activity Limitation                | Respondents who reported being limited in any way due to physical, mental or emotional problem.  | 19.6<br>(12.5-26.8) | 16.0<br>(15.6-16.5) |
|  | HEALTH CARE ACCESS   |                     |                     |
| Health Insurance                       | Respondents who reported not having any form or health care coverage   | 10.5<br>( 4.6-16.3) | 11.4<br>(11.0-11.9) |
| Access Limited by Cost                 | Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.  | 3.9<br>( 0.0- 8.4)  | 6.8<br>( 6.4- 7.1)  |
| No Personal Provider                   | Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.                    | 25.0<br>(15.5-34.5) | 23.5<br>(23.0-24.1) |
|  | HYPERTENSION   |                     |                     |
| High Blood Pressure                    | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.                | NA                  | 25.0<br>(24.4-25.7) |
|  | IMMUNIZATION   |                     |                     |
| Influenza Vaccine                      | Respondents age 65 and older who reported that they did not have a flu shot in the past year   | NA                  | 28.6<br>(27.6-29.6) |
| Pneumococcal Vaccine                   | Respondents age 65 or older who reported never having had a pneumonia shot.  | NA                  | 30.0<br>(28.9-31.0) |
|  | INJURY   |                     |                     |
| Fall                                   | Respondents 45 years and older who reported that they had fallen in the past 3 months  | NA                  | 15.5<br>(14.7-16.2) |
| Seat Belt                              | Respondents who reported not always wearing their seatbelt   | NA                  | 41.9<br>(40.9-42.9) |

# Steele County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS, 2001-2010

|                              | ORAL HEALTH   | Steele County %     | North Dakota %      |
|------------------------------|---|---------------------|---------------------|
| Dental Visit                 | Respondents who reported that they have not had a dental visit in the past year               | NA                  | 29.5<br>(28.8-30.3) |
| Tooth Loss                   | Respondents who reported they had lost 6 or more permanent teeth due to gum disease or decay. | NA                  | 16.0<br>(15.5-16.6) |
|                              | PHYSICAL ACTIVITY   |                     |                     |
| Recommend Physical Activity  | Respondents who reported that they did not get the recommended amount of physical activity    | NA                  | 50.5<br>(49.7-51.4) |
| No Leisure Physical Activity | Respondents who reported that they participated in no leisure time physical activity          | 9.7<br>( 2.1-17.4)  | 6.9<br>( 6.5- 7.4)  |
|                              | TOBACCO   |                     |                     |
| Current Smoking              | Respondents who reported that they smoked every day or some days                              | 19.3<br>(12.4-26.3) | 19.8<br>(19.3-20.4) |
|                              | WOMEN'S HEALTH  |                     |                     |
| Pap Smear                    | Women 18 and older who reported that they have not had a pap smear in the past three years    | NA                  | 14.0<br>(13.1-15.0) |
| Mammogram Age 40+            | Women 40 and older who reported that they have not had a mammogram in the past two years      | NA                  | 24.3<br>(23.3-25.3) |

# Steele County Community Health Profile

## CRIME

20

| Steele County       |        |        |        |        |        |        |             |
|---------------------|--------|--------|--------|--------|--------|--------|-------------|
|                     | 2006   | 2007   | 2008   | 2009   | 2010   | 5 year | 1-Year Rate |
| Murder              | NA     | NA     | NA     | NA     | 0      | NA     | 0.0         |
| Rape                | NA     | NA     | NA     | NA     | 0      | NA     | 0.0         |
| Robbery             | NA     | NA     | NA     | NA     | 0      | NA     | 0.0         |
| Aggravated Assault  | NA     | NA     | NA     | NA     | 1      | NA     | 11.3        |
| Violent crime       | NA     | NA     | NA     | NA     | 1      | NA     | 11          |
|                     |        |        |        |        |        |        |             |
| Burglary            | NA     | NA     | NA     | NA     | 0      | NA     | 0.0         |
| Larceny             | NA     | NA     | NA     | NA     | 1      | NA     | 11.3        |
| Motor vehicle theft | NA     | NA     | NA     | NA     | 0      | NA     | 0.0         |
| Property crime      | NA     | NA     | NA     | NA     | 1      | NA     | 11          |
|                     |        |        |        |        |        |        |             |
| Total               | NA     | NA     | NA     | NA     | 2      | NA     | 23          |
|                     |        |        |        |        |        |        |             |
|                     |        |        |        |        |        |        |             |
| North Dakota        |        |        |        |        |        |        |             |
|                     | 2006   | 2007   | 2008   | 2009   | 2010   | 5 year | 5-Year Rate |
| Murder              | 8      | 16     | 4      | 15     | 11     | 54     | 1.7         |
| Rape                | 184    | 202    | 222    | 206    | 222    | 1,036  | 32.3        |
| Robbery             | 69     | 68     | 71     | 102    | 85     | 395    | 12.3        |
| Aggravated Assault  | 525    | 599    | 738    | 795    | 847    | 3,504  | 109.2       |
| Violent crime       | 786    | 885    | 1,035  | 1,118  | 1,165  | 4,989  | 155.5       |
|                     |        |        |        |        |        |        |             |
| Burglary            | 2,364  | 2,096  | 2,035  | 2,180  | 1,826  | 10,501 | 327.4       |
| Larceny             | 8,884  | 8,672  | 8,926  | 8,699  | 8,673  | 43,854 | 1367.2      |
| Motor vehicle theft | 966    | 878    | 854    | 825    | 763    | 4,286  | 133.6       |
| Property crime      | 12,214 | 11,646 | 11,815 | 11,704 | 11,262 | 58,641 | 1828.2      |
|                     |        |        |        |        |        |        |             |
| Total               | 13,000 | 12,531 | 12,850 | 12,822 | 12,427 | 63,630 | 1983.8      |

# Steele County Community Health Profile

## CHILD HEALTH INDICATORS

Child Health Indicators are selected from Kid's Count data reported on the web. The descriptive line tells what the number present and the part of the description in parentheses tells what the number in parentheses means. If the year of the data is different than other data in the table, the year is footnoted.

| <b>Child Indicators: Education 2010</b>   | <b>Steele County</b> | <b>North Dakota</b> |
|---|----------------------|---------------------|
| Children Ages 3 to 4 in Head Start (Percent of eligible 3 to 4 year olds)*                              | 1 (100)              | 2,607 (65)          |
| Enrolled in Special Education Ages 3-21 (Percent of persons ages 3-21)                                  | 29 (12)              | 13,170 (14)         |
| High School Dropouts (Dropouts per 1000 persons ages 16-24)   | 1 (0.7)              | 701 (2.2)           |
| Average ACT Composite Score   | 19.9                 | 21.5                |
| Average Expenditure per Student in Public School  | \$10,433             | \$9,812             |
| *Year 2008 data   |                      |                     |
|   |                      |                     |
| <b>Child Indicators: Economic Health 2010</b>   | <b>Steele County</b> | <b>North Dakota</b> |
| TANF Recipients Ages 0-19 (Percent of persons ages 0-19)  | 5 (1.2)              | 7,819 (4.7)         |
| SNAP Recipients Ages 0-19 (Percent of all children ages 0-19)   | 68 (17)              | 37,553 (24)         |
| Children Receiving Free and Reduced Price Lunches (Percent of total school enrollment)                  | 56 (23)              | 33,870 (33)         |
| WIC Program Participants  | 43                   | 24,331              |
| Medicaid Recipients Ages 0-20 (Percent of all persons ages 0-20)  | 98 (22)              | 49,110 (27)         |
| Median Income for Families with Children Ages 0-17 *  | \$60,000             | \$61,035            |
| Children Ages 0-17 Living in Extreme Poverty (Percent of children 0-17 for whom poverty is determined)* | 3 (0.7)              | 10,100 (7.2)        |
| *Year 2009 data   |                      |                     |
|   |                      |                     |
| <b>Child Indicators: Families and Child Care 2010</b>   | <b>Steele County</b> | <b>North Dakota</b> |
| Child Care Providers  | 2                    | 3,176               |
| Child Care Capacity (Percent of children 0-13)  | 31 (12)              | 41,478 (38)         |
| Mothers with a Child Ages 0-17 in Labor Force (Percent of all mothers with a child ages 0-17)*          | 167 (74)             | 57,059 (82)         |
| Children Ages 0-17 Living in a Single Parent Family (Percent of all children ages 0-17)*                | 64 (14)              | 30,058 (21)         |
| Children in Foster Care (Percent of children ages 0-18)   | 3 (0.8)              | 1,912 (1.2)         |
| Children Ages 0-17 with Suspected Child Abuse or Neglect (Cases per 100 children 0-17)                  | 6 (1.6)              | 6,399 (4.4)         |
| Children Ages 0-17 Impact by Domestic Violence (Percent of all children ages 0-17)                      | NA                   | 4,180 (2.9)         |
| Births to Mothers with Inadequate Prenatal Care**   | 0                    | 389 (4.3)           |
| * Year 2009 data  |                      |                     |
|   |                      |                     |
| <b>Child Indicators: Juvenile Justice 2010</b>  | <b>Steele County</b> | <b>North Dakota</b> |
| Children Ages 0-17 Referred to Juvenile Court (Percent of all children ages 0-17)                       | 12 (5.6)             | 5,139 (8.1)         |
| Offense Against Person Juvenile Court Referral (Percent of total juvenile court referral)               | 2 (14)               | 784 (8.2)           |
| Alcohol-Related Juvenile Court Referral (Percent of all juvenile court referrals)                       | 10 (71)              | 1,464 (15)          |